

UNIFIVE

Safety , Efficient & Earth friendly

Products Catalogue



*Switching AC Adaptor
& Switching Power Supply*



- Ever smaller, ever more efficient.
- Pursuing "usability" before miniaturization.
- High-precision power supply creating steady power provision.
 - ◆ Steadily supplying various kinds of products.
 - ◆ Imaginative technology and product development.
 - ◆ Globally expanding sales network.
- Technology built upon strict quality standards and trust.

Unifive Technology

Unifive specialized in Switching Power Supply. Our company had set up since 1989 in Tokyo, nowadays as a well-known ac adapter supplier; we are offering high quality - products and the best service around the world. Unifive first consideration of company policy is to work on earth environmental protection; therefore all of our ac dc adapters are designed for low-environment contamination, providing customer safer and durable Switching Power Supplies products.

Quality Assurance

ISO9001:2008
ISO14001:2004
SONY GREEN PARTNER



Product List

I.T.E AC/DC Adaptor **P. 2~10**

Best power solution for Information Technology & Audio Video products for LCD monitor, Hi-Fi stereo, Network Router & Modem, etc.

Semi Switching AC/DC Adaptor **P. 11**

Low cost linear adaptor replacement solution for Cordless Phone, Beauty Hair Trimmer & Shaver, etc.

Medical use AC/DC Adaptor **P. 12**

State of art technology combines quality for medical equipment for Personal Care Equipment, Blood Pressure Machine, etc.

DECT Telephone & VOIP AC/DC Adaptor **P. 13**

Cost efficiency for all sort DECT & VOIP phone for Digital Enhanced Cordless Phone, Internet & Network Phone etc.

AC Pin Interchangeable AC/DC Adaptor **P. 14**

Traveling around the world with one adaptor for Digital Camera, Shaver, Weighting Scale, WLAN Device, etc.

LED Driver **P. 15~17**

Special Design for most LED products

Open Frame Switching Power Supply **P. 18~22**

Power integrate solution for most products for External Hard Disk, Digital Cable TV Tuner, etc.

Car Charger **P.23**

For Various application,for Mobile phone, iPod / iphone,computer,etc.

USB AC/DC Adaptor **P.24**

For all USB application use such as i-Pod, I-phone series , MP3, MP4 and PSP etc.

DC Plug Type **P.25**

5W Series Wall Mount



UCB
56.5*49.6*16



UPC
45*47*16

| Model Series | UCB105 | | UCB305 | | UPC105/305 | |
|------------------|--|--|------------------------|--|---|--|
| AC Input Rating | 90V~132V | | 90V~264V | | 90V~132V | 90V~264V |
| DC Output Rating | 3.0~6.0V / 1.2A * (5W Max) 6.1~8.0V / 0.65A* (5W Max) 8.1~12V / 0.4A* (5W Max) | | 5V / 0.5A 5V / 1.0A | | 4.2V / 0.7A 5V / 0.6A 5.3V / 0.8A 5.6V / 0.55A | 5.6V / 0.6A 6V / 0.6A 8.4V / 0.45A 12.6V / 0.2A |
| Safety | | | | | | |

Please go to the website for the details: <http://www.unifive.com>

6W Series Wall Mount



UN / UNY
45.5*33*23.5
50.2*34*27.8



UNL/ UNZ
46*32.4*28.5
48*36*32.3



UNE/UNR
46*34*24
47.8*36*27.3



UNK
49.2*46.5*31
49*47.8*33.95

| Model Series | UN105 | UN305 | UNE305 | UNR305 | UNY305 |
|------------------|--|---|---|---|--------|
| | UNL105 | UNL305 | | UNK305 | UNZ305 |
| AC Input Rating | 90V~132V | | 90V~264V | | |
| DC Output Rating | 3V / 1.5A 3.3V / 1.5A 4.2V / 0.7A* 5V / 0.5A* | 5V / 1.0A 5.6V / 0.5A* 5.6V / 0.6A* 6V / 0.5A* | 6V / 1.0A 7.5V / 0.8A* 8.5V / 0.5A* 8.5V / 0.7A* | 8.6V / 0.7A* 9V / 0.5A* 9.6V / 0.2A* 12V / 0.5A* | |
| Safety | | | | | |

Models marked "*" can support additional constant current function.

Please go to the website for the details: <http://www.unifive.com>

5W-6W Series For Portable Switching AC/DC Adaptor



UC / UCY
45.8*33.3*25.4



UCL/ UCZ
46*32.4*28.5
48*36*32.3



ECE/UCR
46*34*24
47.8*36*27.3



UCK
49.2*46.5*31
49*47.8*33.95

| Model Series | UC105 | UC305 | | UCE305 | UCR305 | UCY305 |
|---|-------------|-----------|-------------|-------------|-------------|--------|
| | UCL105 | UCL305 | | | UCK305 | UCZ305 |
| AC Input Rating | 90V~132V | | 90V~264V | | | |
| DC Output Rating | 3V / 1.0A | 5V / 0.5A | 5.6V / 0.5A | 8.5V / 0.5A | 12V / 0.25A | |
| | 3V / 1.2A | 5V / 0.8A | 5.6V / 0.6A | 8.5V / 0.7A | 12V / 0.5A | |
| | 3.3V / 1.2A | 5V / 1A | 6V / 0.5A | 8.6V / 0.6A | 13V / 0.45A | |
| | 4.2V / 0.7A | 5V / 1.2A | 6V / 1.0A | 9V / 0.5A | 15V / 0.4A | |
| | | | 7.5V / 0.8A | 9.6V / 0.2A | 18V / 0.3A | |
| Safety | | | | | | |
| Please go to the website for the details: http://www.unifive.com | | | | | | |

8W Series Portable Switching AC/DC Adaptor



UC/UCY
60*44*26.5



ECE/UCR
60.4*44*26.5



UCA
60.4*44*26.5



UCK
60.4*44*26.5

| Model Series | UC108 | UC308 | | UCE/UCR/UCA/UCY/UCK308 | | |
|---|-------------|-------------|-------------|------------------------|------------|--|
| AC Input Rating | 90V~132V | | 90V~264V | | | |
| DC Output Rating | 3.3V / 1.6A | 5.3V / 1.6A | 7.5V / 1.1A | 10.5V / 0.8A | 15V / 0.6A | |
| | 5V / 1.6A | 6V / 1.3A | 9V / 1.0A | 12V / 0.7A | | |
| Safety | | | | | | |
| Please go to the website for the details: http://www.unifive.com | | | | | | |

I.T.E AC/DC Adaptor

12W Series Wall Mount



UN / UNY
45.5*33*23.5
45.8*33.3*25.4



UNL/ UNZ
46*32.4*28.5
48*36*27.3



UNE/UNR
46*34*24
47.8*36*27.3



UNK
49.2*46.5*31
49*47.8*33.95

| Model Series | UN110 | UN310 | UNE310 | UNR310 | UNY310 |
|------------------|---|--------|--|--|--|
| | UNL110 | UNL310 | | UNK310 | UNZ310 |
| AC Input Rating | 90V~132V | | 90V~264V | | |
| DC Output Rating | 3.3V / 2.0A 4.5V / 1.6A 5V / 1.2A | | 5V / 1.5A 5.3V / 1.5A 5V / 2.0A 6V / 1.8A | 7.5V / 1.5A 9V / 1.3A 12V / 0.8A | 12V / 1.0A 15V / 0.8A 24V / 0.5A |
| Safety | | | | | |

Please go to the website for the details: <http://www.unifive.com>



US/USY
60*44*26.5
60*44*30



USE/USR
60.4*44*26.5
60.5*44.4*29.8



USK
60.4*44*26.5
60.5*49.3*29.8



USA
60.4*44*26.5



USM
60.4*44*26.5
60.4*43.5*26.5



UCB
55*49.6*24



UU
72.8*38.8*33.6

| Model Series | US10 | US30 | USY30 | USE30 | USR30 | USK30 | USA30 | USM30 |
|---|---|------|--|-------|---|-------|---|-------|
| AC Input Rating | 90V~132V | | 90V~264V | | | | | |
| DC Output Rating | 3V / 2.0A* 3.3V / 2.0A 5V / 2.0A* 5.5V / 2.0A* | | 6V / 1.8A(only"CB,CCC") 7.5V / 1.0A 7.5V / 1.6A* 9V / 1.3A* | | 11V / 1.0A 12V / 1.0A 12.6V / 0.6A* 13V / 0.9A | | 14.2V / 0.27A 15V / 0.8A* 18V / 0.65A | |
| Safety | | | | | | | | |
| The CB meets both IEC61558 & IEC60950 standards | | | | | | | | |

Please go to the website for the details: <http://www.unifive.com>

| Model Series | UCB112 | UCB312 | UU312 |
|------------------|---|--------|---------------------------------------|
| AC Input Rating | 90V~132V | | 90V~264V |
| DC Output Rating | 3V / 2.0A * 3.3V / 2.0A * 5V / 2.0A * | | 5.5V / 2.0A 6V / 2.0A 7V / 1.4A |
| Safety | | | |

Please go to the website for the details: <http://www.unifive.com>

I.T.E AC/DC Adaptor



US/USY ▼
64*50*26.5
63.9*49.5*29.5

USL/USZ ▼
64*50*28.3
64*50*32

USE/USR/USF ▼
64*50*26.5
64.5*50.2*29.8

USK
64.5*50.2*29.8

USA
64*50*26.5

UV ▼
68.1*28.1*50.8

UVE ▼
68.1*28.1*50.8

12W Series Wall Mount

| Model Series | US112 | UV112 | US312 | UV312 | USY312 | USR/USK312 | USA312 | USE312 | UVE312 |
|---|---|-------|---------------------------------------|----------|---------------------------------------|------------|---------------------------------------|--------|------------|
| | USL112 | | USL312 | | USZ312 | USF312 | | | |
| AC Input Rating | 90V~132V | | | 90V~264V | | | | | |
| DC Output Rating | 3V / 2.0A 3.3V / 2.0A 5V / 2.0A | | 5V / 2.3A 5.5V / 2.0A 6V / 2.0A | | 7V / 1.4A 7V / 1.6A 7.5V / 1.6A | | 9V / 1.3A 12V / 1.0A 15V / 0.8A | | 24V / 0.5A |
| Safety | | | | | | | | | |
| | The CB meets both IEC60065 & IEC60950 standards | | | | | | | | |
| | The mark "▼" is not available for IEC60065 | | | | | | | | |
| Please go to the website for the details: http://www.unifive.com | | | | | | | | | |

15W Series Wall Mount

| Model Series | US115 | UV115 | US315 | UV315 | USY315 | USR/USK315 | USA315 | USE315 | UVE315 |
|---|---|-------|------------------------|----------|--------------------------|------------|---------------------------|--------|--------------------------|
| | USL115 | | USL315 | | USZ315 | USF315 | | | |
| AC Input Rating | 90V~132V | | | 90V~264V | | | | | |
| DC Output Rating | 3V / 2.5A 3.3V / 2.5A | | 5V / 2.5A 6V / 2.3A | | 7.5V / 2.0A 9V / 1.6A | | 10V / 1.5A 12V / 1.25A | | 15V / 1.0A 24V / 0.65 |
| Safety | | | | | | | | | |
| | The CB meets both IEC60065 & IEC60950 standards | | | | | | | | |
| | The mark "▼" is not available for IEC60065 | | | | | | | | |
| Please go to the website for the details: http://www.unifive.com | | | | | | | | | |

18W Series Wall Mount

| Model Series | US118 | UV118 | US318 | UV318 | USY318 | USR/USK318 | USA318 | USE318 | UVE318 |
|---|---|-------|------------------------|----------|------------------------|------------|-------------------------|--------|--------------------------|
| | USL118 | | USL318 | | USZ318 | USF318 | | | |
| AC Input Rating | 90V~132V | | | 90V~264V | | | | | |
| DC Output Rating | 3V / 3.0A 3.3V / 3.0A | | 5V / 2.6A 5V / 3.0A | | 6V / 2.8A 7V / 2.5A | | 9V / 2.0A 10V / 1.8A | | 12V / 1.5A 15V / 1.2A |
| Safety | | | | | | | | | |
| | The CB meets both IEC60065 & IEC60950 standards | | | | | | | | |
| | The mark "▼" is not available for IEC60065 | | | | | | | | |
| Models marked "#" have not been PSE certified | | | | | | | | | |
| Please go to the website for the details: http://www.unifive.com | | | | | | | | | |



UI / UIA

68.2*49.8*26.3 (IEC 320 C8)
75*50.6*29.8



UIT

68.2*49.8*26.3 (IEC 320 C6)
75*50.6*29.8

12W Series Desktop

| Model Series | UIA112 | | UIA312 | | UIT312 | |
|--|--|---------------------------------------|---------------------------------------|---------------------------------------|------------|--|
| AC Input Rating | 90V~132V | | 90V~264V | | | |
| DC Output Rating | 3V / 2.0A 3.3V / 2.0A* 5V / 2.0A* | 5V / 2.3A 5.5V / 2.0A 6V / 2.0A | 7V / 1.4A 7V / 1.6A 7.5V / 1.6A | 9V / 1.3A 12V / 1.0A 15V / 0.8A | 24V / 0.5A | |
| Safety | | | | | | |
| | <p>The CB meets both IEC60065 & IEC60950 standards</p> | | | | | |
| <p>Please go to the website for the details: http://www.unifive.com</p> | | | | | | |

15W Series Desktop

| Model Series | UI115 | | UI315 | | UIT315 | |
|--|---|------------------------|--------------------------|----------------------------|----------------------------|----------------|
| AC Input Rating | 90V~132V | | 90V~264V | | | |
| DC Output Rating | 3V / 2.5A 3.3V / 2.5A | 5V / 2.5A 6V / 2.3A | 7.5V / 2.0A 9V / 1.6A | 10V / 1.5A 12V / 1.25A* | 15V / 1.0A* 24V / 0.65A | 48V / 0.3A # ▼ |
| Safety | | | | | | |
| | <p>The CB meets both IEC60065 & IEC60950 standards</p> <p>The mark "▼" is not available for IEC60065</p> <p>Models marked "#" have not been PSE certified</p> | | | | | |
| <p>Please go to the website for the details: http://www.unifive.com</p> | | | | | | |

18W Series Desktop

| Model Series | UI118 | | UI318 | | UIT318 | |
|--|---|--------------------------|------------------------|-------------------------|--------------------------|----------------------------|
| AC Input Rating | 90V~132V | | 90V~264V | | | |
| DC Output Rating | 3V / 3.0A 3.3V / 3.0A | 5V / 2.6A* 5V / 3.0A* | 6V / 2.8A 7V / 2.5A | 9V / 2.0A 10V / 1.8A | 12V / 1.5A 15V / 1.2A | 24V/0.75A 48V/ 0.4A # ▼ |
| Safety | | | | | | |
| | <p>The CB meets both IEC60065 & IEC60950 standards</p> <p>The mark "▼" is not available for IEC60065</p> <p>Models marked "#" have not been PSE certified</p> | | | | | |
| <p>Please go to the website for the details: http://www.unifive.com</p> | | | | | | |

I.T.E AC/DC Adaptor



UW / UWA

105.2*44.7*28.8



USL

93*50*33



USE

93*50*33



UU

72.7*35.7*53



UUE

72.7*35.7*53



UUK

72.7*35.7*53



UV

72.8*38.8*48

24W Series Wall Mount

| | | | |
|------------------|------------------------|--------------------------|------------|
| Model Series | USL124 | USL324 | USE324 |
| AC Input Rating | 90V~132V | 90V~264V | |
| DC Output Rating | 5V / 3.0A 5V / 4.0A | 12V / 1.5A 12V / 2.0A | 12V / 2.5A |
| Safety | | | |

| | | | | |
|------------------|--------------------------|--------------------------|--------------------------|---------------|
| Model Series | UU324 | UV324 | UUE324 | UUK324 |
| AC Input Rating | 90V~264V | | | |
| DC Output Rating | 3.3V / 3.0A 5V / 2.0A | 5V / 3.0A 12V / 1.25A | 12V / 1.5A 12V / 2.0A | 24V / 1.0A |
| Safety | | | | (Only 12V 2A) |

Please go to the website for the details: <http://www.unifive.com>

36W Series Wall Mount

| | | | | |
|---|----------|--------------------------|--------------------------|----------------------------|
| Model Series | UU336 | UUE336 UUK336 | UW336 | UWA336 |
| AC Input Rating | 90V~264V | | | |
| DC Output Rating | | 12V / 3.0A 15V / 2.4A | 16V / 2.2A 18V / 2.0A | 24V / 1.5A 35V / 1.0A # |
| Safety | | | | |
| Models marked "#" have not been PSE certified | | | | |

Additional constant current output function is available to UW336.

Please go to the website for the details: <http://www.unifive.com>

45W Series Wall Mount

| | | | | | |
|---|---------------------------|--------------------------|--------------------------|----------------------------|-----------------|
| Model Series | UW345 | | | UWA345 | |
| AC Input Rating | 90V~264V | | | | |
| DC Output Rating | 12V / 3.8A 14V / 3.21A | 15V / 3.0A 16V / 2.8A | 18V / 2.5A 19V / 2.4A | 19.5V / 2.3A 24V / 1.9A | 35V / 1.3A # |
| Safety | | | | | |
| Models marked "#" have not been PSE certified | | | | | |

Additional constant current output function is available to UW345.

Please go to the website for the details: <http://www.unifive.com>

I.T.E AC/DC Adaptor



UIA / UI

95.9*43.8*28.5 (IEC 320 C8)
98.8*46.8*32.1



UIB / UIT

95.9*43.8*28.5 (IEC 320 C6)
98.8*46.8*32.1



UEC 45W

128.3*51.5*32.3 (IEC 320 C14)

24W Series Desktop

| Model Series | UIA324 | | | UIB324 | |
|---|---------------------------------------|-------------------------------------|---------------------------------------|--|------------|
| AC Input Rating | 90V~264V | | | | |
| DC Output Rating | 3V / 4.0A 3.3V / 4.0A 5V / 4.0A | 6V / 3.0A 6V / 3.8A 7V / 3.4A | 9V / 2.6A 10V / 2.4A 12V / 2.0A | 13.5V / 1.8A 15V / 1.6A 18V / 1.3A | 24V / 1.0A |
| Safety | | | | | |
| The CB meets both IEC60065 & IEC60950 standards | | | | | |
| Please go to the website for the details: http://www.unifive.com | | | | | |

36W Series Desktop

| Model Series | UIA336 / UI336 | | UIB336 | UIT336 |
|---|--------------------------|--------------------------|----------------------------|--------|
| AC Input Rating | 90V~264V | | | |
| DC Output Rating | 12V / 3.0A 15V / 2.4A | 16V / 2.2A 18V / 2.0A | 24V / 1.5A 35V / 1.0A # | |
| Safety | | | | |
| Models marked "#" have not been PSE certified | | | | |
| Additional constant current output function is available to UI336 and UIT336. | | | | |
| Please go to the website for the details: http://www.unifive.com | | | | |

45W Series Desktop

| Model Series | UIA345 / UI345 | | | UIB345 | UIT345 |
|---|---------------------------|--------------------------|--------------------------|----------------------------|--------------|
| AC Input Rating | 90V~264V | | | | |
| DC Output Rating | 12V / 3.8A 14V / 3.21A | 15V / 3.0A 16V / 2.8A | 18V / 2.5A 19V / 2.4A | 19.5V / 2.3A 24V / 1.9A | 35V / 1.3A # |
| Safety | | | | | |
| Models marked "#" have not been PSE certified | | | | | |
| Additional constant current output function is available to UI345 and UIT345. | | | | | |

| Model Series | UEC345-4804 | | UEC345-4808 | | |
|---|-------------|--|--------------|--|--|
| AC Input Rating | 90V~264V | | | | |
| DC Output Rating | 48V / 0.4A | | 48V / 0.875A | | |
| Safety | | | | | |
| Please go to the website for the details: http://www.unifive.com | | | | | |


60W Series Desktop



UEA (IEC 320 C8)
113.5*54*36.3



UEB (IEC 320 C6)



UEC (IEC 320 C14)

| Model Series | UEA360 | | UEB360 | | UEC360 |
|---|------------------------|--------------------------|--------------------------|---------------------------|------------|
| AC Input Rating | 90V~264V | | | | |
| DC Output Rating | 6V / 5.0A 8V / 5.0A | 12V / 4.0A 12V / 4.2A | 12V / 5.0A 15V / 4.0A | 18V / 3.33A 24V / 2.5A | 27V / 2.2A |
| Safety | | | | | |
| Please go to the website for the details: http://www.unifive.com | | | | | |

70W Series Desktop



UEA (IEC 320 C8)
136.5*57*30.5



UEB (IEC 320 C6)

| Model Series | UEA370 | UEB370 | |
|---|--------------------------|--------------------------|------------|
| AC Input Rating | 90V~264V | | |
| DC Output Rating | 12V / 6.0A 15V / 4.6A | 18V / 4.0A 19V / 3.8A | 24V / 3.0A |
| Safety | | | |
| Please go to the website for the details: http://www.unifive.com | | | |

90W Series Desktop



UEA (IEC 320 C8)
136.5*57*30.5



UEB (IEC 320 C6)

| Model Series | UEA390 | | UEB390 |
|---|--------------------------|---------------------------|-----------------------------|
| AC Input Rating | 90V~264V | | |
| DC Output Rating | 12V / 7.5A 16V / 5.5A | 19V / 4.73A 20V / 4.5A | 24V / 3.75A # 48V/1.9A # |
| Safety | | | |
| Models marked "#" have not been PSE certified | | | |
| Please go to the website for the details: http://www.unifive.com | | | |


Dual Output Switching Power Adaptor



UEA (IEC 320 C8)
128.3*51.5*32.3



UEB (IEC 320 C6)



UEC (IEC 320 C14)

25W Series Dual Output

| Model Series | UEA125D | UEA325D | UEB325D | UEC325D |
|---|--|--|-------------------------------------|-------------------------------------|
| AC Input Rating | 90V ~ 132V | 90V ~ 264V | | |
| DC Output Rating | A 5V / 1.5A 12V / 1.5A | B 5V / 1.5A 12V / 1.0A | C 5V / 2.0A 12V / 1.5A | D 5V / 2.0A 12V / 1.0A |
| Safety | CB (The CB meets both IEC60065 & IEC60950 standards) | Only 5V/1.5A , 12V/1.5A CB (The CB meets both IEC60065 & IEC60950 standards) | | |
| Please go to the website for the details: http://www.unifive.com | | | | |

45W Series Dual Output

| Model Series | UEA145D | UEA345D | UEB345D | UEC345D |
|---|-------------------------------------|-------------------------------------|-------------------------------------|---------|
| AC Input Rating | 90V ~ 132V | 90V ~ 264V | | |
| DC Output Rating | A 5V / 2.5A 12V / 2.5A | B 5V / 3.0A 12V / 2.0A | C 5V / 2.0A 12V / 3.0A | |
| Safety | | | | |
| Please go to the website for the details: http://www.unifive.com | | | | |

Semi Switching AC/DC Adaptor (Low Noise)



UD/UDY
60*44*26.5
60*44*30



UDE/UDR
60.4*44*26.5
60.5*44.4*29.8



UDK
60.4*44*26.5
60.5*44*29.8



UDA
60.4*44*26.5

10W Series Wall Mount

| | | | | | | |
|---|--------------------------|--------|----------------------------|-------------------------|----------------------------|------------|
| Model Series | UD1010 | UD1210 | UDE2210 UDR2210 | UDY2210 | UDE2310 UDK2310 | UDA2410 |
| AC Input Rating | 100V | 120V | 220V | | 230V | 240V |
| DC Output Rating | 5V / 2.0A 6.5V / 1.5A | | 7.5V / 0.7A 7.5V / 1.0A | 9V / 1.0A 12V / 1.0A | 13.5V / 1.0A 18V / 0.6A | 24V / 0.5A |
| Safety | | | | | | |
| Please go to the website for the details: http://www.unifive.com | | | | | | |

15W Series Wall Mount

| | | | | | | |
|---|------------|--------|--------------------|------------|--------------------|---------|
| Model Series | UD1015 | UD1215 | UDE2215 UDR2215 | UDY2215 | UDE2315 UDK2315 | UDA2415 |
| AC Input Rating | 100V | 120V | 220V | | 230V | 240V |
| DC Output Rating | 12V / 1.2A | | 12V / 1.25A | 24V / 0.6A | | |
| Safety | | | | | | |
| Please go to the website for the details: http://www.unifive.com | | | | | | |

18W Series Wall Mount

| | | | | | | |
|---|------------|--------|--------------------|---------|--------------------|---------|
| Model Series | UD1018 | UD1218 | UDE2218 UDR2218 | UDY2218 | UDE2318 UDK2318 | UDA2418 |
| AC Input Rating | 100V | 120V | 220V | | 230V | 240V |
| DC Output Rating | 12V / 1.5A | | | | | |
| Safety | | | | | | |
| Please go to the website for the details: http://www.unifive.com | | | | | | |

Medical Use AC/DC Adaptor(UM Series)



UM

64*50*26.5
63.9*49.5*29.5



UML

64*50*28.3
64*50*32



UME/UMR

64*50*26.5
64.5*50.2*29.8



UMK

64.5*50.2*29.8



UMA

64*50*26.5



UMI

68.2*49.8*26.3 (IEC 320 C8)

12W Series Wall Mount

| | | | | | | |
|---|---|--|--|--|-------------|---------|
| Model Series | UM112 | UMI 112 | UML312 | UME312 | UMK312 | UM312 |
| | UML112 | | | UMR312 | UMA312 | UMI 312 |
| AC Input Rating | 90V~132V | | 90V~264V | | | |
| DC Output Rating | 3V / 2.0A 3.3V / 2.0A* 5V / 2.0A* | 5V / 2.3A* 5.5V / 2.0A 6V / 2.0A | 7V / 1.4A 7V / 1.6A 7.5V / 1.6A* | 9V / 1.3A* 12V / 1.0A* 15V / 0.8A* | 24V / 0.5A* | |
| Safety | | | | | | |
| | (only " * ") | | | | | |
| CB IEC60601 | | | | | | |
| Please go to the website for the details: http://www.unifive.com | | | | | | |

15W Series Wall Mount

| | | | | | | |
|---|---------------------------|-------------------------|------------------------------|----------------------------|-----------------------------|---------|
| Model Series | UM115 | UMI 115 | UML315 | UME315 | UMK315 | UM315 |
| | UML115 | | | UMR315 | UMA315 | UMI 315 |
| AC Input Rating | 90V~132V | | 90V~264V | | | |
| DC Output Rating | 3V / 2.5A 3.3V / 2.5A* | 5V / 2.5A* 6V / 2.3A | 7.5V / 2.0A * 9V / 1.6A * | 10V / 1.5A 12V / 1.25A* | 15V / 1.0A* 24V / 0.65A* | |
| Safety | | | | | | |
| | (only " * ") | | | | | |
| CB IEC60601 | | | | | | |
| Please go to the website for the details: http://www.unifive.com | | | | | | |

18W Series Wall Mount

| | | | | | | |
|---|---------------------------|--------------------------|-------------------------|--------------------------|----------------------------|--------------|
| Model Series | UM118 | UMI 118 | UML318 | UME318 | UMK318 | UM318 |
| | UML118 | | | UMR318 | UMA318 | UMI 318 |
| AC Input Rating | 90V~132V | | 90V~264V | | | |
| DC Output Rating | 3V / 3.0A* 3.3V / 3.0A | 5V / 2.6A* 5V / 3.0A* | 6V / 2.8A 7V / 2.5A* | 9V / 2.0A* 10V / 1.8A | 12V / 1.5A* 15V / 1.2A* | 24V / 0.75A* |
| Safety | | | | | | |
| | (only " * ") | | | | | |
| CB IEC60601 | | | | | | |
| Please go to the website for the details: http://www.unifive.com | | | | | | |

DECT Telephone & VOIP AC/DC Adaptor(UT Series)



UT/UTY

64*50*26.5
63.9*49.5*29.5



UTL/UTZ

64*50*28.3
64*50*32



UTE/UTR/UTF

64*50*26.5
64.5*50.2*29.8



UTK

64.5*50.2*29.8



UTA

64*50*26.5



UTI

68.2*49.8*26.3 (IEC 320 C8)

12W & 15W & 18W Series Wall Mount

| Model Series | UT112 | UTI112 | UT312 | UTI312 | UTE312 | UTR/UTK312 | UTA312 |
|------------------|-------------------------------------|--------|---------------------------------------|---------------------------------------|--------------------------|------------|--------|
| | UTL112 | | UTL312 | | | UTF312 | |
| AC Input Rating | 90V~132V | | 90V~264V | | | | |
| DC Output Rating | 3V / 2.0A 5V / 2.0A 5V / 2.3A | | 5.5V / 2.0A 6V / 2.0A 7V / 1.4A | 7V / 1.6A 7.5V / 1.6A 8V / 1.0A | 9V / 1.3A 12V / 1.0A* | 24V / 0.5A | |

| Model Series | UT115 | UTI115 | UT315 | UTI315 | UTE315 | UTR/UTK315 | UTA315 |
|------------------|---------------------------------------|--------|---------------------------------------|--|-----------------------------|------------|--------|
| | UTL115 | | UTL315 | | | UTF315 | |
| AC Input Rating | 90V~132V | | 90V~264V | | | | |
| DC Output Rating | 3V / 2.5A 3.3V / 2.5A 5V / 2.5A | | 6V / 2.3A 7.5V / 2.0A 9V / 1.6A | 10V / 1.5A 12V / 1.25A* 15V / 1.0A | 24V / 0.65A 48V / 0.3A # | | |

| Model Series | UT118 | UTI118 | UT318 | UTI318 | UTE318 | UTR/UTK318 | UTA318 |
|---|---------------------------------------|--------|-------------------------------------|---|---|------------|--------|
| | UTL118 | | UTL318 | | | UTF318 | |
| AC Input Rating | 90V~132V | | 90V~264V | | | | |
| DC Output Rating | 3V / 3.0A 3.3V / 3.0A 5V / 2.6A | | 5V / 3.0A 6V / 2.8A 7V / 2.5A | 9V / 2.0A 10V / 1.8A 12V / 1.5A * | 15V / 1.2A 24V / 0.75A 48V / 0.4A # | | |
| Safety | | | | | | | |
| Models marked "#" have not been PSE certified | | | | | | | |

Please go to the website for the details: <http://www.unifive.com>

24W Series



UTL

93*50*33



UTE

93*50*33



UTI

95.9*43.8*28.5 (IEC 320 C8)

| Model Series | UTL124 | UTL324 | UTE324 | UTI324 |
|------------------|------------|--------|------------|--------|
| AC Input Rating | 90V~132V | | 90V~264V | |
| DC Output Rating | 12V / 1.5A | | 12V / 2.0A | |
| Safety | | | | |

Please go to the website for the details: <http://www.unifive.com>

AC Pin Interchangeable AC/DC Adaptor



UUX312

72.8*38.8*33.6



UVX324

72.8*38.8*48



UUX324

UUX336
72.8*38.8*61.5



UUA A



UUAL



UUA K



UUA Z



UUA E/UUA R

12W Series

| | | | | | |
|---|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|------------|
| Model Series | UUX312 | | | | |
| AC Input Rating | 90V~264V | | | | |
| DC Output Rating | 3V / 2.0A 3.3V / 2.0A 5V / 2.0A | 5V / 2.3A 5.5V / 2.0A 6V / 2.0A | 7V / 1.4A 7V / 1.6A 7.5V / 1.6A | 9V / 1.3A 12V / 1.0A 15V / 0.8A | 24V / 0.5A |
| Safety | | | | | |
| Please go to the website for the details: http://www.unifive.com | | | | | |

24W Series

| | | | | | |
|---|--------------------------|--------------------------|--------------------------|------------|--|
| Model Series | UUX324 | | UVX324 | | |
| AC Input Rating | 90V~264V | | | | |
| DC Output Rating | 3.3V / 3.0A 5V / 2.0A | 5V / 3.0A 12V / 1.25A | 12V / 1.5A 12V / 2.0A | 24V / 1.0A | |
| Safety | | | | | |
| Please go to the website for the details: http://www.unifive.com | | | | | |

36W Series

| | | | | |
|---|--------------------------|--------------------------|----------------------------|--|
| Model Series | UUX336 | | | |
| AC Input Rating | 90V~264V | | | |
| DC Output Rating | 12V / 3.0A 15V / 2.4A | 16V / 2.2A 18V / 2.0A | 24V / 1.5A 35V / 1.0A # | |
| Safety | | | | |
| Models marked "#" have not been PSE certified | | | | |
| Please go to the website for the details: http://www.unifive.com | | | | |

REMARK: 1.UUX:Can be used with four directions

6W Series Wall Mount



UC/UCY
45.8*33.3*25.4
50.2*34*27.8



UCL/UCZ
46*32.4*28.5
48*36*32.3



UCE/UCR
46*34*24
47.8*36*27.3



UCK
49.2*46.5*31
49*47.8*33.95

| | | | | |
|------------------|------------------|-------------|-------------|-------------|
| Model Series | UC305 | UCE305 | UCR305 | UCY305 |
| | UCL305 | | UCK305 | UCZ305 |
| AC Input Rating | 90V~264V | | | |
| DC Output Rating | 8V / 0.5A | 12V / 0.4A | 15V / 0.4A* | 22V / 0.1A |
| | 8V / 0.6A | 12V / 0.5A* | 18V / 0.1A | 22V / 0.2A |
| | 8V / 0.7A | 15V / 0.2A | 18V / 0.2A | 22V / 0.25A |
| | 12V / 0.3A | 15V / 0.3A | 18V / 0.3A* | |
| Safety | (Only " * ") | | | |

Please go to the website for the details: <http://www.unifive.com>

8W Series Wall Mount



UC/UCY
60*44*26.5




UCE/UCR
60.4*44*26



UCA
60.4*44*26



UCK
60.4*44*26



UJC/UJCW
68*33.5*27

| | | | | |
|------------------|-----------|------------|------------|-------------|
| Model Series | UC308 | UCE308 | UCA308 | UJC308 |
| | UCY308 | UCR308 | UCK308 | UJCW308 |
| AC Input Rating | 90V~264V | | | |
| DC Output Rating | 8V / 0.8A | 11V / 0.8A | 15V / 0.5A | 18V / 0.5A |
| | 8V / 0.9A | 12V / 0.6A | 15V / 0.6A | 22V / 0.35A |
| | 8V / 1.0A | 12V / 0.7A | 18V / 0.4A | |
| Safety | | | | |

Please go to the website for the details: <http://www.unifive.com>

15W Series Dimmable & T5&T8 LED Light



UJL/UJLW
75*49*30.8



UOL
251*19.6*14.8

| | | | |
|------------------|-----------------------|-----------------------|---------------------------|
| Model Series | UJL115 | UJLW115 | UOL318 |
| AC Input Rating | 90V~132V | | 90V~264V |
| DC Output Rating | 15V / 0.4A (0.4A MAX) | 32V / 0.4A (0.4A MAX) | 48V / 0.2A 52V / 0.35A |
| | 22V / 0.4A (0.4A MAX) | 42V / 0.3A (0.3A MAX) | |
| Safety | | | |

Please go to the website for the details: <http://www.unifive.com>

15W Series Wall Mount



UKL/UKZ
72.7*35.7*53



UKK
72.7*35.7*53



UKE
72.7*35.7*53

| Model Series | UKL315 | UKZ315 | UKK315 | UKE315 | |
|---|--|---|---|---|---|
| AC Input Rating | 90~264V | | | | |
| DC Output Rating | 12V / 0.3A 12V / 0.35A 12V / 0.4A 12V / 0.5A 12V / 0.6A 12V / 0.7A 12V / 0.8A 12V / 0.9A 12V / 1.0A 12V / 1.05A 15V / 0.3A | 15V / 0.35A 15V / 0.4A 15V / 0.5A 15V / 0.6A 15V / 0.7A 15V / 0.8A 15V / 0.9A 15V / 1.0A 15V / 1.05A 18V / 0.3A 18V / 0.35A | 18V / 0.4A 18V / 0.5A 18V / 0.6A 18V / 0.7A 18V / 0.8A 18V / 0.9A 22V / 0.2A 22V / 0.3A 22V / 0.35A 22V / 0.4A 22V / 0.5A | 22V / 0.6A 22V / 0.7A 22V / 0.8A 33V / 0.1A # 33V / 0.2A # 33V / 0.3A # 33V / 0.35A # 33V / 0.4A # 33V / 0.5A # 36V / 0.1A # 36V / 0.2A # | 36V / 0.3A # 36V / 0.35A # 36V / 0.4A |
| Safety | | | | | |
| Models marked "#" have not been PSE certified | | | | | |

Please go to the website for the details: <http://www.unifive.com>

15W Series Desktop



UJC
100*51*32



UJD
100*51*32

| Model Series | UJC315 | | UJD315 | |
|------------------|---|--|---|---|
| AC Input Rating | 90V~264V | | | |
| DC Output Rating | 7-12V / 0.3A 7-12V / 0.35A 7-12V / 0.4A 7-12V / 0.5A 7-12V / 0.6A 7-12V / 0.7A 7-12V / 0.8A 7-12V / 0.9A 7-12V / 1.0A 7-12V / 1.05A 8-15V / 0.3A 8-15V / 0.35A | 8-15V / 0.4A 8-15V / 0.5A 8-15V / 0.6A 8-15V / 0.7A 8-15V / 0.8A 8-15V / 0.9A 8-15V / 1.0A 8-15V / 1.05A 12-18V / 0.3A 12-18V / 0.35A 12-18V / 0.4A 12-18V / 0.5A | 12-18V / 0.6A 12-18V / 0.7A 12-18V / 0.8A 12-18V / 0.9A 15-22V / 0.2A 15-22V / 0.3A 15-22V / 0.35A 15-22V / 0.4A 15-22V / 0.5A 15-22V / 0.6A 15-22V / 0.7A 15-22V / 0.8A | 25-33V / 0.1A 25-33V / 0.2A 25-33V / 0.3A 25-33V / 0.35A 25-33V / 0.4A 25-33V / 0.5A 29-36V / 0.1A 29-36V / 0.2A 29-36V / 0.3A 29-36V / 0.35A 29-36V / 0.4A |
| Safety | | | | |

Please go to the website for the details: <http://www.unifive.com>



UJC/UJV/UJCW//UJVV324
128.5*40*26



UJCW/UJVV330
141*41*33

24W & 30W Series

| Model Series | UJV324 | UJVV324 | | | UJVV330 | |
|------------------|-------------|------------|------------|--|-------------|------------|
| AC Input Rating | 90V~264V | | | | | |
| DC Output Rating | 24V / 0.85A | 42V / 0.5A | 45V / 0.4A | | 17V / 1.75A | 36V / 1.0A |
| | 42V / 0.3A | 42V / 0.6A | 45V / 0.5A | | 25V / 1.05A | 42V / 0.7A |
| | 42V / 0.4A | 45V / 0.3A | 45V / 0.6A | | 32V / 1.05A | 56V / 0.5A |
| Safety | | | | | | |

Please go to the website for the details: <http://www.unifive.com>

24W & 30W Series

| Model Series | UJC324 | UJCW324 | | | | UJCW330 | |
|------------------|-------------|-------------|------------|------------|-------------|------------|--|
| AC Input Rating | 90V~264V | | | | | | |
| DC Output Rating | 24V / 0.36A | 24V / 0.8A | 42V / 0.4A | 45V / 0.3A | 17V / 1.75A | 36V / 1.0A | |
| | 24V / 0.44A | 24V / 0.88A | 42V / 0.5A | 45V / 0.4A | 25V / 1.05A | 42V / 0.7A | |
| | 24V / 0.72A | 42V / 0.3A | 45V / 0.5A | 45V / 0.5A | 32V / 1.05A | 56V / 0.5A | |
| Safety | | | | | | | |

Please go to the website for the details: <http://www.unifive.com>

60W Series



UJC
106*54*37.2



UJDW/UJVV
141*41*33


| Model Series | UJC360 | | | | UJDW360 | UJVV360 |
|------------------|------------|------------|------------|-------------|--|---------|
| AC Input Rating | 90V~264V | | | | | |
| DC Output Rating | 22V / 0.7A | 30V / 0.7A | 42V / 0.7A | 56V / 0.7A | 25V / 2.1A 36V / 1.75A 42V / 1.4A 56V / 1.05A | |
| | 22V / 0.8A | 30V / 0.8A | 42V / 0.8A | 56V / 0.8A | | |
| | 22V / 0.9A | 30V / 0.9A | 42V / 0.9A | 56V / 0.9A | | |
| | 22V / 1.0A | 30V / 1.0A | 42V / 1.0A | 56V / 1.0A | | |
| | 22V / 1.1A | 30V / 1.1A | 42V / 1.1A | 56V / 1.05A | | |
| DC Output Rating | 42V / 0.6A | 56V / 0.6A | | | | |
| | | | | | | |
| Safety | | | | | | |

Please go to the website for the details: <http://www.unifive.com>

80W & 150W Series



UJCW
152*68*39



UJCW
198*68*37.6

| Model Series | UJCW380 | | UJCW3150 | | |
|------------------|------------|-------------|-------------|-------------|-------------|
| AC Input Rating | 90V~264V | | | | |
| DC Output Rating | 21V / 3.7A | 36V / 2.2A | 24V / 6.25A | 42V / 3.57A | 54V / 2.78A |
| | 24V / 3.3A | 48V / 1.66A | 36V / 4.17A | 48V / 3.13A | 81V / 1.85A |
| Safety | | | | | |

Please go to the website for the details: <http://www.unifive.com>

6W Series

| Model | UOA305 (IEC 320 C8) | UOB305 (IEC 320 C8) | UOT305 (IEC 320 C6) |
|------------------|--|---|------------------------|
| Package | | | |
| L*W*H(mm) | 61*61*15.5 | 75*34*22.6 | 75*34*22.6 |
| DC Output Rating | 3.6V / 2.0A 12V / 0.55A* 5V / 2.0A | 3.3V / 1.2A 3.3V / 2.0A | 5V / 1.0A 5V / 1.2A |
| Safety | CB CE C US ONLY " * " | C US CE CB (UOB305-3320 The CB meets both IEC60065 & IEC60950 standards) | |

| Model | UOP305 | | | | | |
|------------------|---|---|---------------------------------------|---|--|--|
| Package | | | | | | |
| L*W*H(mm) | 55*27.8*18 | | | | | |
| DC Output Rating | 3.3V / 1.5A 3.3V / 1.6A 3.3V / 2.0A | 3.6V / 1.8A 4.2V / 0.7A 5V / 0.5A | 5.6V / 0.5A 5V / 1.0A 6V / 0.5A | 6V / 1.0A 7.5V / 0.8A 8.5V / 0.5A | 9V / 0.5A 9.6V / 0.2A 12V / 0.5A | 15V / 0.4A 18V / 0.3A 24V / 0.2A * |
| Safety | UL1310 ONLY " * " CE | | | | | |

Please go to the website for the details: <http://www.unifive.com>

12W Series

| Model | UOB310 | | | UNB310 | |
|------------------|--------------------------|--------------------------|-------------------------|--------------------------|------------|
| Package | | | | | |
| L*W*H(mm) | 60*42.8*20.8 | | | 60*42.8*21.3 | |
| DC Output Rating | 3V / 2.0A 3.3V / 2.0A | 5V / 2.0A 7.5V / 1.3A | 9V / 1.1A 12V / 1.0A | 15V / 0.7A 18V / 0.6A | 24V / 0.5A |
| Safety | C US CB CE | | | CE | |

| Model | UOC312 (IEC 320 C14) | | | | UOF312 | |
|------------------|---------------------------------------|---------------------------------------|---|--------------------------------------|--|------------|
| Package | | | | | | |
| L*W*H(mm) | 75*50*25.6 | | | | 95*50*18 | |
| DC Output Rating | 3V / 2.0A 3.3V / 2.0A 5V / 2.0A | 5V / 2.3A 5.5V / 2.0A 6V / 2.0A | 7.0V / 1.4A 7.0V / 1.6A 7.5V / 1.6A | 8V / 1.0A 9V / 1.3A 10V / 1.1A | 12V / 0.8A 12V / 1.0A 15V / 0.8A | 24V / 0.5A |
| Safety | C US CB CE | | | | CE | |

Please go to the website for the details: <http://www.unifive.com>

15W & 18W Series

| Model | UOC315 (IEC 320 C14) | UOF315 | UOB318 |
|------------------|---|---|--|
| Package | | | |
| L*W*H(mm) | 75*50*25.6 | 95*50*18 | 75.2*44.2*26.1 (3V / 4A , 3.3V / 4A : 75.2*44.2*30.6) |
| DC Output Rating | 3V / 2.5A 10V / 1.5A 3.3V / 2.5A 12V / 1.25A 5V / 2.5A 15V / 1.0A 6V / 2.3A 24V / 0.65A 7.5V / 2.0A 48V / 0.3A 9V / 1.6A | 3V / 2.5A 9V / 1.6A 3.3V / 2.5A 10V / 1.5A 5V / 2.5A 12V / 1.25A 6V / 2.3A 15V / 1.0A 7.5V / 2.0A 24V / 0.65A | 3V / 3.0A 5V / 2.6A 12V / 1.25A* 3.3V / 3.0A* 5V / 3.0A* 12V / 1.5A * 3V / 4.0A 6V / 2.8A 15V / 1.2A 3.3V / 4.0A* 9V / 2.0A 24V / 0.75A Δ |
| Safety | | | |

| Model | UOC318 (IEC 320 C14) | UOF318 | UOG318 |
|------------------|--|---|--|
| Package | | | |
| L*W*H(mm) | 75*50*25.6 | 95*50*21.5 | 75*48*26.6 |
| DC Output Rating | 3V / 3.0A 9V / 2.0A 3.3V / 3.0A 10V / 1.8A 5V / 2.6A 12V / 1.5A 5V / 3.0A 15V / 1.2A 6V / 2.8A 24V / 0.75A 7V / 2.5A 48V / 0.4A | 3V / 3.0A 9V / 2.0A 3.3V / 3.0A 10V / 1.8A 5V / 2.6A 12V / 1.5A 5V / 3.0A 15V / 1.2A 6V / 2.8A 24V / 0.75A 7V / 2.5A | 3V / 3.0A 5V / 2.6A 12V / 1.5A 3.3V / 3.0A 5V / 3.0A 15V / 1.2A 3V / 4.0A 6V / 2.8A 24V / 0.75A 3.3V / 4.0A 9V / 2.0A |
| Safety | | | |

Please go to the website for the details: <http://www.unifive.com>





25W Series

| Model | UOB325 | UOC325 (IEC 320 C14) | UOD325 |
|-----------|--------------|----------------------|-----------------|
| Package | | | |
| L*W*H(mm) | 75.2*50*30.6 | 125.4*61.4*32.5 | 130.5*25.8*27.1 |






| Model | UOP325 | UOA325 | |
|------------------|------------------------|------------------------|---|
| Package | | | |
| L*W*H(mm) | 98*46*28.6 | 103*46*32.6 | |
| DC Output Rating | 5V / 4.0A 6V / 3.0A | 6V / 3.8A 7V / 3.4A | 9V / 2.6A 12V / 2.0A 15V / 1.6A 24V / 1.0A |
| Safety | | | |

Please go to the website for the details: <http://www.unifive.com>





36W Series

| Model | UOP336 | UOA336 | UOC336 |
|---|---|--|---|
| Package |  |  |  |
| L*W*H(mm) | 98*46*28.6 | 103*46*32.6 | 120*40*29.1 |
| DC Output Rating | 12V / 3.0A 15V / 2.4A | 16V / 2.2A 18V / 2.0A | 24V / 1.5A 35V / 1.0A |
| Safety |  | | |
| Please go to the website for the details: http://www.unifive.com | | | |

40W & 45W Series






| Model | UOP340 | UOP345 | UOA345 |
|---|---|---|--|
| Package |  |  |  |
| L*W*H(mm) | 92.8*63.5*31.1 | 98*46*28.6 | 103*46*32.6 |
| DC Output Rating | 3.3V / 5.0A 3.3V / 8.0A 5V / 5.0A 5V / 8.0A | 12V / 4.0A 14V / 3.21A 15V / 3.0A | 16V / 2.8A 18V / 2.5A 19V / 2.4A |
| Safety |  |  | |
| Please go to the website for the details: http://www.unifive.com | | | |

60W & 80W Series

| Model | UOA360 | UOP380 |
|---|---|---|
| Package |  |  |
| L*W*H(mm) | 103*46*32.6 | 140*80*36.1 |
| DC Output Rating | 12V / 5.0A 18V / 3.33A 24V / 2.5A | 12V / 6.5A |
| Safety |  |  |
| Please go to the website for the details: http://www.unifive.com | | |



25W Dual Output Series

AC Input Rating 90V~264V

| Model | UOB325D | | UOP325D | | UOA325D | |
|------------------|---|--|---|--|---|--|
| Package |  | |  | |  | |
| L*W*H(mm) | 150*25.8*27.6 | | 98*46*28.6 | | 103*46*32.6 | |
| DC Output Rating | A 5V / 1.5A 12V / 1.5A | | B 5V / 1.5A 12V / 1.0A | | C 5V / 2.0A 12V / 1.5A | |
| Safety |  | |  (The CB meets both IEC60065 & IEC60950 standards) | | | |






Please go to the website for the details: <http://www.unifive.com>

30W Dual Output Series

| Model | UOB130D-0512-A UOB130D-0512-B UOB130D-0512-C | | UOB130D-0512-D | UOB330D-0512-A UOB330D-0512-B UOB330D-0512-C | | UOB330D-0512-D |
|------------------|--|--|------------------------------|--|------------------------------|----------------|
| AC Input Rating | 90V~132V | | | 90V~264V | | |
| Package |  | | | | | |
| L*W*H(mm) | 150*25.8*27.6 | | | | | |
| DC Output Rating | A 5V / 1.7A 12V / 1.7A | | B 5V / 1.9A 12V / 1.6A | | C 5V / 2.5A 12V / 1.3A | |
| Safety |  | | | | | |






Please go to the website for the details: <http://www.unifive.com>

36W Dual Output Series





| Model | UOP336D | | UOA336D | | UOC336D | |
|------------------|--|--|--|--|---|--|
| Package |  | |  | |  | |
| L*W*H(mm) | 98*46*28.6 | | 103*46*32.6 | | 120*40*29.1 | |
| DC Output Rating | A 5V / 2.0A 12V / 2.0A | | B 5V / 2.5A 12V / 1.5A | | C 5V / 2.2A 12V / 2.2A | |
| Safety |  (The CB meets both IEC60065 & IEC60950 standards) | | | |  | |

Please go to the website for the details: <http://www.unifive.com>

45W Dual Output Series

| | | | |
|---|---|--|---|
| Model | UOP345D | UOA345D | UOB345D ▼ |
| Package |  |  |  |
| L*W*H(mm) | 98*46*28.6 | 103*46*32.6 | 98*96*27.1 |
| Model | UOC345D ▼ | | |
| Package |  | | |
| L*W*H(mm) | 150*60*27.1 | | |
| DC Output Rating | A 5V / 2.5A 12V / 2.5A | B 5V / 3.0A 12V / 2.0A | C 5V / 2.0A 12V / 3.0A |
| Safety |  (The CB meets both IEC60065 & IEC60950 standards) | | |
| | The mark "▼" is not available for IEC60065 | | |
| Please go to the website for the details: http://www.unifive.com | | | |

60W & 90W Dual Output Series

| | | |
|---|---|---|
| Model | UOA360D | UOP390D (With PFC) |
| Package |  |  |
| L*W*H(mm) | 103*46*32.6 | 155*100*40 |
| DC Output Rating | A 5V / 2.0A 12V / 4.3A | B 5V / 3.0A 12V / 3.0A |
| Safety |  (The CB meets both IEC60065 & IEC60950 standards) | |
| |  | |
| Please go to the website for the details: http://www.unifive.com | | |

5W Series



UDCH305
83*24.8*25.6

| | | | |
|---|-------------|-------------|------------|
| Model Series | UDCH305 | | |
| DC Input Rating | 11V~28V | | |
| DC Output Rating | 5.0V / 0.5A | 5.0V / 1.0A | 12V / 0.5A |
| Safety | CE | | |
| Please go to the website for the details: http://www.unifive.com | | | |

10W Series



UDCU310
92.6*38.6*20



UDCH310
104*44*27

| | | | | | |
|---|-------------|--|-------------|-------------|------------|
| Model Series | UDCU310 | | UDCH310 | | |
| DC Input Rating | 11V~28V | | | | |
| DC Output Rating | 5.0V / 0.5A | | 5.0V / 1.0A | 6.0V / 2.0A | 12V / 0.5A |
| | 5.0V / 1.0A | | 5.0V / 2.0A | 9.0V / 0.5A | 12V / 1.0A |
| | 5.0V / 2.0A | | 6.0V / 1.0A | 9.0V / 1.0A | |
| Safety | CE | | | | |
| Please go to the website for the details: http://www.unifive.com | | | | | |

36W & 65W Series



UDCH
Acto plug:83*24.8*22.1
Case:76.36*41.96*19

| | | | | | | |
|---|-------------|-------------|--|-------------|-------------|------------|
| Model Series | UDCH336 | | | UDCH365 | | |
| DC Input Rating | 11V~28V | | | | | |
| DC Output Rating | 5.0V / 6.0A | 12V / 3.0A | | 15V / 4.06A | 19V / 3.42A | 24V / 2.7A |
| | 6.0V / 6.0A | 15V / 3.0A | | 16V / 4.06A | 20V / 3.25A | |
| | 9.0V / 3.0A | 16V / 1.58A | | | | |
| | | 24V / 1.58A | | | | |
| Safety | CE | | | | | |
| Please go to the website for the details: http://www.unifive.com | | | | | | |

90W & 120W Series



UDCH
Acto plug:83*24.8*22.1
Case:74.5*49.5*28.5

| | | | | | | |
|---|------------|-------------|--|------------|------------|--|
| Model Series | UDCH390 | | | UDCH3120 | | |
| DC Input Rating | 11V~28V | | | | | |
| DC Output Rating | 18V / 5.0A | 20V / 4.5A | | 18V / 6.6A | 20V / 6.0A | |
| | 19V / 4.7A | 24V / 3.75A | | 19V / 6.3A | 24V / 5.0A | |
| Safety | CE | | | | | |
| Please go to the website for the details: http://www.unifive.com | | | | | | |

USB AC/DC Adaptor

5W Series Wall Mount



USB
56.5*49.6*16



UF/UFY
44*30*21



UBL/UBZ
56.5*34*27.5



UBE
56.5*34*27.5

| | | | | | | | |
|------------------|-----------|-----------|-----------|-----------|-----------|--------|--------|
| Model Series | USB105 | USB305 | UF305 | UFY305 | UBL305 | UBZ305 | UBE305 |
| AC Input Rating | 90V~132V | 90V~264V | | | | | |
| DC Output Rating | 5V / 0.5A | 5V / 1.0A | 5V / 0.5A | 5V / 1.0A | 5V / 1.0A | | |
| Safety | | | | | | | |

Please go to the website for the details: <http://www.unifive.com>

10W Series Wall Mount



USB
60*50*26.9



UBL/UBZ
56.5*34*27.5



UBE
56.5*34*27.5

| | | | | |
|------------------|--------------------|-----------|-----------|--------|
| Model Series | USB310(4 Port USB) | UBL310 | UBZ310 | UBE310 |
| AC Input Rating | 90V~264V | | | |
| DC Output Rating | 5V/2.0A | 5V / 2.0A | 5V / 2.1A | |
| Safety | | | | |

Please go to the website for the details: <http://www.unifive.com>

5W & 10W Series DC/DC Car Power Adaptor



UDCH305-USB
49.5*24*24





UDCH310-USB
104*44*27

| | | |
|------------------|---------------------|-------------------------------------|
| Model Series | UDCH305-USB | UDCH310-USB |
| DC Input Rating | 11V~28V | |
| DC Output Rating | 5V / 0.5A 5V / 1.0A | 5.0V / 1.0A 5.0V / 2.0A 5.0V / 2.1A |
| Safety | | |

Please go to the website for the details: <http://www.unifive.com>

DC Plug Type



| PLUG OUTLING | PLUG NAME | A | B | C | D |
|--------------|-----------|------|------|------|-----|
| | | 6.5 | 3.0 | 8-14 | |
| | | 5.5 | 2.5 | 8-14 | |
| | | 5.5 | 2.1 | 8-14 | |
| | | 3.8 | 1.35 | 8-14 | |
| | | 3.8 | 1.1 | 8-14 | |
| | | 3.5 | 1.35 | 7-14 | |
| | | 3.5 | 1.1 | 7-14 | |
| | EIAJ-1 | 2.35 | 0.7 | 9.5 | |
| | EIAJ-2 | 4.0 | 1.7 | 9.5 | |
| | EIAJ-3 | 4.75 | 1.7 | 9.5 | |
| | EIAJ-4 | 5.5 | 3.3 | 1.0 | 9.5 |
| | EIAJ-5 | 6.5 | 4.3 | 1.4 | 9.5 |

UNIFIVE

Safety , Efficient & Earth friendly



* HONG KONG HEAD OFFICE:

UNIFIVE INTERNATIONAL LIMITED.
Suite 2408, 24/F., Tower 2, Lippo Centre,
89 Queensway, Hong Kong
Tel: +852-8303-2146 Fax: +852-8303-4110
E-mail: sakamaki@unifive.com

* CHINA FACTORY:

UNIFIVE TECHNOLOGY (SHEN ZHEN) CO., LTD.
#E, Da Tian Yang Industrial Zone of Longmen,
Songgang Town, Baoan, Shenzhen, 518105, China.
Tel: +86-755-3387-0193 Fax: +86-755-3387-0191
E-mail: powell@unifive.com.tw
URL: <http://www.unifive-c.com>

* KOREA OFFICE:

UNIFIVE KOREA CO., LTD
Ba-4116, Chungang Circulation Complex, 1258,
Kurobon-Dong, Kuro-Secoul, 152-721, Korea.
Tel: +822-6679-7134 Fax: +822-6679-7135
E-mail: unifive@paran.com
URL: <http://www.unifive.co.kr>

* JAPAN OFFICE:

UNIFIVE CO.,LTD.
3-33-14 Nakakasai, Edogawa-ku Tokyo Japan 134-0083
Tel: +81-3-5605-3222 Fax: +81-3-5605-3220
E-mail: info@unifive.com
URL: <http://www.unifive.com>

* TAIWAN OFFICE:

UNIFIVE TECHNOLOGY CO., LTD.
4F., No.269, Siang Yang Rd, Feng Yuan, Taichung,
420, Taiwan (R.O.C.)
Tel: +886-4-2523-0886 Fax: +886-4-2523-0913
E-mail: info@unifive.com.tw
URL: <http://www.unifive.com.tw>

* USA OFFICE:

UNIFIVE CO., LTD.
18022 Cowan, Suite 200, Irvine, CA 92614
Tel: +1-949-260-9602 Fax: +1-949-260-9218
E-mail: info@unifive-us.com
URL: <http://www.unifive-us.com>